

1. SCOPE

This specification covers the requirements for the optical cable assemblies type QG-VCT for CC-Link IE.

<u>* The Products covered in this specification don't include the toxic substances in RoHS2.</u>

2. USE ENVIRONMENT

The cable shall be used in following conditions.

- (1) Indoor pipe $^{\otimes 1}$
- 2 Rack
- 3 Duct
- 4 Free access
- (5) Control box $^{\otimes 2}$

^{**1} Available for optical fiber dedicated route.

^{**2} Allowed if bending radius and storage space allow.

3. LENGTH OF CABLE

The maximum length of the cable is two kilometer. (The maximum length of the cable with connector is 550 meters.)

4. CABLE TYPE

For with connector

<u>QG</u> -	<u>G50</u>	- <u>2C</u> -	\square M·	- <u>VCT</u> -	<u> </u>
(1)	(2)	(3)	(4)	(5)	(6)

■For cable only

 $\frac{\text{QG}}{(1)} - \frac{\text{G50}}{(2)} - \frac{2\text{C}}{(3)} - \frac{\text{VCT}}{(5)} \quad \frac{\square\text{m}}{(4)}$

(1) Cable series name	Optical cable for CC-Link IE		
(2) Type of optical fiber cord	G50:Core diameter 50 μ m GI optical fiber		
(3) Number of Optical Fiber	2C: Duplex cord		
(4) Length of cable	\Box : 1~2000 (Cable only)		
	$1 \sim 550$ (With connector)		
(5) Cable type	High-movable type (indoor)		
(6) Applicable connector	LL: LC duplex connectors on both sides		
	LS: LC duplex connector on one side - SC connector on one side		
	LF: LC duplex connector on one side - FC connector on one side		
	LN: LC duplex connector on one side - no connector on one side x^{3}		
	SS: SC connectors on both sides		
	FF: FC connectors on both sides		
	SF: SC connector on one side - FC connector on one side		

*3: After processing the connectors on both ends, the loss is measured and the connector on one end is cut.

5. CORD CONSTRUCTION

	Table 1. Cord construction					
No.	Item		Construction			
	Туре	GI optical fiber (multi mode)				
	Conforming Sta	ndard	IEC6079	3-2-10 A1	a.1	
	Com	Materials	Silica Gla	ass		
	Core	Diameter	$50\pm3\mu$	m		
	Clading	Materials	Silica Gla	ass		
	Cladding Diameter		$125\pm2\mu\mathrm{m}$			
	Protective	Materials	erials Zero Halogen			
1	Coating	Diameter	0.9 ± 0.1	mm		
	Identification		See Fig.1			
	Classil	Materials	PVC (Or	ange)		
	Sheath Diameter		2.0 ± 0.2	$mm \times 2$	2	
			Min	Max	Unit	Conditions
	Maximum Tensile Load			60	Ν	By careless handling (short term)
	Minimum Radius Bend		15		mm	After careless handling

The construction of the optical fiber cord shall be in accordance with Table 1.

6. OPTICAL CHARACTERISTICS

The optical characteristics is listed in Table 2.

	Table 2. Optical characteristics				
	Items	Construction			
	Attomuction	$3.0 \text{dB/km} \text{ or under } [\lambda = 850 \text{nm}]$			
Attenuation		1.0dB/km or under [$\lambda = 1300$ nm]			
	Bandwidth	500MHz · km or over [$\lambda = 850$ nm]			
	Dahuwidui	500MHz · km or over [$\lambda = 1300$ nm]			

Table 2. Optical characteristics

7. OPTICAL CONNECTOR CONSTRUCTION

Table 3. O	tical connector construction

Item	Specification				
Product name	LC duplex connector	SC connector	FC connector		
Type of optical connector	DLCF-G50-D2	DSC-G50-D2	DFC-G50-D2		
Standard	IEC61754-20	IEC61754-4	IEC61754-13		
Connection loss	0.3dB or less				
(in respect to master fiber)					
Polishing method of connector	PC polish				
Operating Temperature	-40∼+85°C				
Connection method	Cross connection (Connect the A side connector on one end to the B side connector on the other side) $^{\times 4}$				

^{**4} For LC duplex connectors on both sides.

8. CABLE CONSTRUCTION

The construction of the optical fiber cable shall be in accordance with Table4.

_	Table 4. Cable construction					
No.	Item	Construct	tion			
1	Type of optical fiber cord	See Table	:1.			
2	Strength Member	Aramid f	iber			
3	Таре	Plastic				
4	Sheath	PVC (Or	ange)			
	Cable Diameter	6.0mm				
	Approximate Net Weight	35 kg/km				
		Min	Max	Unit	Conditions	
	Operating Temperature	-20	60	°C	—	
	Maximum Tensile Load		420	Ν	By careless handling (short term)	
	Minimum Radius Bend	60		mm	After careless handling	
	Crush Resistance		735	N/50mm	By careless handling (short term)	
	Danding dynahility	10 million times or more ^{**5}			Bend angle : $\pm 90^{\circ}$	
	Bending durability	10 mili	non times or more ^{me}		Bend radius : 60mm (no road)	


 $^{\ast 5}$ It is a test outcome, and not a guaranteed value.

Performance is different according to customer's system requirements.

9. MARKING

The optical cable shall be printed following marking format on the one side of sheath by regular interval.

- Marking content : CC-Link IE OPTICAL FIBER CABLE QG-G50-2C-VCT ******
- Marking pitch : 1000mm
- Marking color : Black



* Please acknowledge it though the print display might rub when transporting, and careless handling it and it disappear.

Spec. No.X903703D50056-H01B Page 5/7

Item	Construction
±90° Bending test	Endure 1 million flexual exercise. [Condition] Bending angle θ Right 90° Left 90° (A-B-A-C-A) Bending speed : Approx. 60 times / min Roll bar radius R : 60mm C :
	Sample Swing stop

10. MECHANICAL CHARACTERISTICS

11. CONSTRUCTION FIGURE






Fig.2 Construction of Optical Fiber Cable

12. CONFIGURATION



13. OTHERS

Protective holder



Item	Specification
Applicable optical fiver cable	QG Series
Applicable connector	LC duplex connector (DLCF-G50-D2)
Materials	PC (Black)
Operating Temperature	-20~+60°C

Note) Never mount this product onto connector other than the Mitsubishi connector or use a damaged protective holder. Failure to observe this could result in damage or increased losses.