

Combination List for Relay connection (*1)

There is a proper combination between motor and cable for relay connection, so please refer to the list below and select appropriate items. In addition, please make sure the total cable length should be less than that of the list.

Applicable motor	Combination			Total cable length
	Motor side		Amplifier side	
HG-KR/MR HF-KN/KP/MP	SC-J3J2CBL□M-■-S	less than 3m	SC-EKCBLOM-L SC-EKCBLOM-H	30m
	SC-J3JCBL□M-■-N			
	SC-J3JCBL□M-■-H	2~5m		40m
	SC-J3JCBL□M-■-L			
	SC-J3JCBL□M-■-H	less than 1m		50m
	SC-J3JCBL□M-■-L			
	SC-J3JCBL□M-■-H	less than 4m		20m
	SC-J3JCBL□M-■-L			
	SC-J3J2CBL□M-■-S	less than 3m		20m
	SC-J3J2CBL□M-■-N			
SC-EK4CBL□M-H	SC-J3JCBL□M-■-H	2~5m	SC-EK4CBL□M-H	80m
	SC-J3JCBL□M-■-L			
	SC-J3JCBL□M-■-H	less than 1m		100m
	SC-J3JCBL□M-■-L			
	SC-J3JS2CBL□M-■-S	less than 3m		30m
	SC-J3JS2CBL□M-■-N			
	SC-J3JSCBL□M-■-H	2~5m		40m
	SC-J3JSCBL□M-■-L			
	SC-J3JSCBL□M-■-H	less than 1m		50m
	SC-J3JSCBL□M-■-L			
SC-J3ENS4CBL□M-S	SC-J3JSCBL□M-■-H	less than 4m	SC-J3ENS4CBL□M-S	20m
	SC-J3JSCBL□M-■-L			
	SC-J3JS2CBL□M-■-S	less than 3m		20m
	SC-J3JS2CBL□M-■-N			
	SC-J3JSCBL□M-■-H	2~5m		80m
	SC-J3JSCBL□M-■-L			
	SC-J3JSCBL□M-■-H	less than 1m		100m
	SC-J3JSCBL□M-■-L			
	SC-J3ENSJCBL□M-H			
	SC-J3ENSJCBL□M-■-H			
HA-LP, HC-LP, HC-RP, HC-UP, HF-SP HF-JP53, 534, 73, 734, 103, 1034, 153, 1534, 203, 2034, 353, 3534, 503, 5034, 703, 7034, 903, 9034	SC-J3ENSJCBL□M-L		SC-J3ENSJCBL□M-L SC-J3ENSJCBL□M-H	40m
	SC-J3ENSJCBL□M-H			
	SC-J3ENSJCBL□M-L			
	SC-J3ENSJCBL□M-■-L			
	SC-J3ENSJCBL□M-H		SC-J3ENSJCBL□M-S less than 15m	25m
	SC-J3ENSJCBL□M-■-H			
	SC-J3ENSJCBL□M-L			
	SC-J3ENSJCBL□M-■-L			
	SC-J3ENS4CBL□M-H			
	SC-J3ENS4CBL□M-■-H			
HG-RR, HG-UR, HG-SR, HG-JR53, 534, 73, 734, 103, 1034, 153, 1534, 203, 2034, 353, 3534, 503, 5034, 703, 7034, 903, 9034	SC-J3ENS4CBL□M-H		SC-J3ENS4CBL□M-H SC-J3ENS4CBL□M-■-H	90m
	SC-J3ENS4CBL□M-■-H			

*1: Please inquire of us if you need different combination or cable length.